1976 Author Index

(Asterisk indicates abstract)

Aldridge, R.E. JNMT content, 51
Aldridge, R.E. RES uptake of ^{99m}Tc-pyrophosphate, 89
Ashley, S.J. Double-barrel syringe, 42
Ashley, S.J. In vitro analysis of plasma clotting, 93*

Bacharach, S.L. see Mack, B.A.
Barber, M. see Kontzen, F.N.
Barker, M.H. see Mazzola, A.L.
Barnett, H.D. Nominal group process, 130
Battaglia, D.J., Burkhead, C., Welton, J., and Cianci, M.L. Normal range for radioassay, 93*
Battaglia, D.J., DeFries, C., and Cianci, M.L. Radiopharmaceutical quality control program, 92*
Belliveau, R.E. see Mazzola, A.L.
Bemis, J. see Ferguson, A.
Bernier, D.R. and Coleman, R.E. Impact of computed cranial tomography on radionuclide brain imaging and cisternography, 180
Bernier, D.R.
see Clarke, M.T.
see Phegley, D.J.
Beschi, R.J. and Kontzen, F.N. A single national examination board in nuclear medicine technology, 149
Bifolck, L. see Neill, J.M.
Brown, M.L. and Hannah, T.C. Measurement of serum thyroxine, 34
Brown, P.H. see Claunch, B.C.
Bunz, L. and Powell, M.R. Evaluation of thyroid cancer, 94*
Burkhead, C. see Battaglia, D.J.
Burks, R. see Marks, J.M.
Burt, W. see Marks, J.M.

Cain, R. see Marks, J.M.
Capuzzi, J.P., Grabowski, C., Hyams, P., Malmud, L.S., and Fisher, R.S. Gastroesophageal imaging, 98*
Carretta, R.F.
see Giga, J.L.
see Klenke, W.J.
Case, G.B., Matin, P., and Martin, C.B. Contamination of xenon ventilation systems, 95*
Chelsy, S. see Mullins, J.
Cianci, M.L. see Battaglia, D.J.
Clarke, M.T., Bernier, D.R., Welch, M.J., Coleman, R.E., and Ter-Pogossian, M.M. Positron emission scanning, 97*
Claunch, B.C. and Brown, P.H. Modification of Mediac dose calibrator, 46
Coleman, A., Robertson, M., Williams, D.L., and Hamilton, G.W. Myocardial/background ratios from ^{201}Tl images, 99*
Coleman, R.E.
see Bernier, E.R.
see Clarke, M.T.
see Phegley, D.J.
Colombetti, L.G. see Patel, G.C.
Conway, J.J. see Weiss, S.
Costanza, M.A. and Fasiska, B.C. Precautions and considerations for ^{131}I therapy, 95*

Damm, D.W. see Johnson, C.K.
Daniels, D. see Pick, R.O.
DeFries, C. see Battaglia, D.J.
Driscoll, T. Radioimmunoassay control sera, 87
Dubovsky, E.V. see Kontzen, F.N.

English, R.J. Scintillation camera radiochromatogram, 80

Fasiska, B.C. see Costanza, M.A.
Ferguson, A., Bemis, J., Ross, L., Grier, R., and Phillips, P. ^{99m}Tc abdominal scanning, 146
Fisher, R.S. see Capuzzi, J.P.

Gaston, E.L. Sequential brain and bone imaging with ^{99m}Tc-diphosphonate, 76
Gibbs, W.D. see Hodges, H.D.
Giga, J.L., Stankiewicz, C.J., Kopp, D.T., and Carretta, R.F. Patient positioning for liver flow studies, 98*
Giga, J.L. see Klenke, W.J.
Gobuty, A. Book review, *Radiopharmaceuticals,* 50
Goodyear, M., Poulose, K.P., Rajguru, H., and Reba, R.C. Lacrimal duct obstruction, 74
Grabowski, C. see Capuzzi, J.P.
Green, M.V. see Mark, B.A.
Grier, R. see Ferguson, A.
Grossman, L.W., Van Tuinen, R.J., Hoops, R.G., Lewis, J.T., and Sodd, V.J. Parallel-bar phantom for scintillation cameras, 143

Hamilton, G.W. see Coleman, A.
Hannah, T.C. see Brown, M.L.
Hempel, A.W. see Martin, C.B.
Hodges, H.D. and Gibbs, W.D. Nuclear medicine technologist participation in radiation accident management, 95*
Hoffer, P.B. see Swann, S.J.
Holmes, R.A. see Marks, J.M.
Hoops, R.G. see Grossman, L.W.
Hotte, C.E. see Lamson, M.
Howard, B.Y. Handling radioiodinated solutions, 28
Hyams, P. see Capuzzi, J.P.

Ice, R.D. see Lamson, M.
Izzo, L.M. AV review, *Cut the QUABS and Quality Assurance in Nuclear Medicine,* 149

Johnson, C.K. and Damm, D.W. Programmed manual for artifact identification, 31
Johnston, G.S. see Mack, B.A.

Kan, M.K. Collimator contamination, 48
Kasecamp, W.R. and Longo, R.A. Multiple sampling for red blood cell volume, 83
Kaufman, L. see Swann, S.J.
Klenke, W.J., Giga, J.L., and Carretta, R.F. Routine liver flow studies, 98*
Kohrs, B.J. Book review, *NCRP Report Number 44: Krypton-85 in the Atmosphere—Accumulation, Biological Significance and Control Terminology,* 91
Kontzen, F.N., Barber, M., Dubovsky, E.V., Tauxe, W.N., and Tobin, M. Technologists' role in comprehensive renal study, 94*
Kontzen, F.N. see Beschi, R.J.
Kopp, D.T. see Giga, J.L.

LaDue, R.J. Book review, *Basic Nuclear Medicine,* 91
LaDue, R.J. Book review, *Textbook of Nuclear Medicine Technology,* 50
Lamson, M., Hotte, C.E., and Ice, R.D. Practical generator kinetics, 21
Lands, E.L. and Patel, B. Quality Assurance of whole-body tables, 97*
Langan, J.K. see Manspeaker, H.F.
Lee, J.I. and Patel, G.C. Preparation of ^{99m}Tc-HSA, 92*
Lewis, J.T. see Grossman, L.W.
Lim, C.B. see Swann, S.J.
Longo, R.A. see Kasecamp, W.R.
Lopez, L. Book review, *Administration of a Radiology Department,* 209

Mack, B.A., Quigley, C.F., Bacharach, S.L., Green, M.V., and Johnston, G.S. Positioning in gated left ventricular studies, 99*
Malmud, L.S. see Capuzzi, J.P.
Manspeaker, H.F., Montgomery, W., Schafer, W., Langan, J.K., Strauss, H.W., and Pitt, B. Imaging devices for ^{201}Tl myocardial studies, 99*
Marcus, M. Book review, *Practical Competitive Binding Assays,* 148

Marks, J.M., Cain, R., Winston, D., Wing, J., Schleif, A., Burks, D., and Burt, W. Recognition of scan artifacts, 96*
Marks, J.M., Zimmer, A.M., and Silverstein, E.A. ^{131}I thyroid uptake test, variation with operator, 199
Marks, J.M., Zimmer, A.M., Silverstein, E.A., and Holmes, R.A. Quality control for pipetting systems, 141
Marsden, D.S. Book review, *Parathormone and Calcitonin Radioimmunoassay in Various Medical and Osteoarticular Disorders,* 209
Martin, C.B., Matin, P., and Hempel, A.W. Radiation safety of weekly and biweekly generator systems, 123
Martin, C.B. see Case, G.B.
Matin, P.
see Case, G.B.
see Martin, C.B.
Mazzola, A.L., Barker, M.H., and Belliveau, R.R. Iron dextran injection site uptake of ^{99m}Tc-diphosphonate, 133
McCormick, M.V., Sinclair, M.D., and Wahner, H.W. Chromatographic quality of ^{99m}Tc-bone agents, 189
Montgomery, W. see Manspeaker, H.F.
Moore, M. Book review, *Radiation Spectra of Radionuclides,* 210
Mullins, J. and Chelsy, S. Computerized renogram in kidney transplant monitoring, 94*
Mullins, J. see Salk, R.

Neill, J.M. and Bifolck, L. Technical limitations in liver metastases detection, 98*
Nusynowitz, M.L. see Pick, R.O.

O'Mara, R.E. see Tuscan, M.J.

Palmer, D.W. see Swann, S.J.
Patel, B. see Lands, E.L.
Patel, G.C., Colombetti, L.G., and Pinsky, S. Artifacts in testing percent labeling of ^{99m}Tc-pyrophosphate, 92*
Patel, G.C. see Lee, J.I.
Persoon, T.J. Digoxin and digitoxin in serum for cardiac glycoside level analysis, 201
Phegley, D.J., Bernier, D.R. and Coleman, R.E. A multi-detector scanner for whole body imaging, 96*
Phillips, P. see Ferguson, A.
Pick, R.O., Daniels, D., Waliszewski, J.A., and Nusynowitz, M.L. Comparison of T_3 radioassay kits, 38
Pinsky, S. see Patel, G.C.
Pitt, B. see Manspeaker, H.F.
Porter, J. see Teruya, K.
Poulose, K.P. see Goodyear, M.
Powell, M.R. see Bunz, L.

Quigley, C.F. see Mack, B.A.

Rajguru, H. see Goodyear, M.
Reba, R.C. see Goodyear, M.
Rhodes, B.A. see Wells, L.D.
Robertson, M. see Coleman, A.
Robinson, W.L. Dose calibrator foibles, 96*
Rose, L. Book review, *NCRP Report Number 45: Natural Background Radiation in the United States,* 148
Ross, L. see Ferguson, A.

Salk, R. and Mullins, J. Method for aerosol inhalation scanning, 94*
Schafer, W. see Manspeaker, H.F.
Schleif, A. see Marks, J.M.
Shea, T. and Trusten, P. Binding of folic acid to beta-lactoglobulin, 93*
Shea, T. see Trusten, P.
Sikorski, S. see Sorandes, T.
Silverstein, E.A. see Marks, J.M.
Sinclair, M.D. see McCormick, M.V.
Sodd, V.J. see Grossman, L.W.
Sorandes, T. Quality control procedure for new radionuclides, 96*
Sorandes, T., Tyler, K., and Sikorski, S. ^{99m}Tc-HIDA for gallbladder function study, 99*
Stankiewicz, C.J. see Giga, J.L.
Strauss, H.W. see Manspeaker, H.F.
Suzuki, A., Suzuki, M.N., and Weis, A.M. Analysis of a radioisotope calibrator, 193
Suzuki, M.N. see Suzuki, A.
Swann, S.J., Palmer, D.W., Kaufman, L., Lim, C.B., and Hoffer, P.B. Tantalum-tube collimators for scintillation cameras, 97*

Tauxe, W.N. see Kontzen, F.N.
Ter-Pogossian, M.M. see Clarke, M.T.
Teruya, K., Yeh, F-M., Porter, J., and Wasnich, R. Technical facets of radioaerosol delivery, 126
Timpe, G.M. Avoiding ^{133}Xe release from charcoal traps, 208
Tobin, M. see Kontzen, F.N.
Trusten, P. and Shea, T. Reliability of the gastrin radioimmunoassay, 93*
Trusten, P. see Shea, T.
Tuscan, M.J., Weber, D.A., and O'Mara, R.E. Computer assisted instrument calibration, 97*
Tyler, K. see Sorandes, T.

Van Tuinen, R.J. see Grossman, L.W.

Wahner, H.W. see McCormick, M.V.
Waliszewski, J.A. see Pick, R.O.
Wasnich, R. see Teruya, K.
Weber, D.A. see Tuscan, M.J.
Weigand, P.M. Radioimmunoassay kit evaluation, 136
Weis, A.M. see Suzuki, A.
Weiss, S. Book review, *Pediatric Nuclear Medicine,* 148
Weiss, S. and Conway, J.J. Bone imaging artifacts, 95*
Weiss, S. and Conway, J.J. Polaroid film artifacts, 183
Welch, M.J. see Clarke, M.T.
Wells, L.D. Letter from the Editor, 73
Wells, L.D. and Rhodes, B.A. Quality assurance breakdown, 97*
Welton, J. see Battaglia, D.J.
Widman, J.C. Computer-camera interface, 205
Williams, D.L. see Coleman, A.
Williams, J. Human growth hormone secretion, 85
Wing, J. see Marks, J.M.
Winston, D. see Marks, J.M.
Wojciechowski, M. Artifact in combined lung transmission and liver emission images, 207

Yeh, F-M. see Teruya, K.

Zimmer, A.M. see Marks, J.M.

1976 Subject Index

(Asterisk indicates abstract)

Abdomen
^{99m}Tc imaging, 146
transmission imaging artifact, 207
Aerosol
nebulizer system, 94*, 126
Antibody, *see Radioimmunoassay*
Artifacts
bone imaging, ^{99m}Tc-phosphates, 95*
chromatography, ^{99m}Tc-pyrophosphate labeling yields, 92*
collimator contamination, brain imaging, 48
identification manual, 31
Polaroid film, 183
recognition, 96*
transmission imaging, 207
Audiovisual review
Cut the QUABS and Quality Assurance in Nuclear Medicine, 149

Beta
correction, dose calibrator, 193
Blood
fibrin clotting mechanism, 93*
red cell volume, multiple sampling, 83
Bone
agents, chromatography, 189
imaging artifacts, ^{99m}Tc-phosphates, 95*
imaging, ^{99m}Tc-diphosphonate, 76
scan artifacts, 96*
scan, Fe dextran injection site uptake of ^{99m}Tc-diphosphonate, 133
scan, ^{99m}Tc-pyrophosphate uptake by liver and spleen, 89
scan, whole-body multi-detector scanner, 96*
Book review
Administration of a Radiology Department, 209
Basic Nuclear Medicine, 91
NCRP Report Number 44: Krypton-85 in the Atmosphere—Accumulation, Biological Significance and Control Technology, 91
NCRP Report Number 45: Natural Background Radiation in the United States, 148
Parathormone and Calcitonin Radioimmunoassay in Various Medical and Osteoarticular Disorders, 209
Pediatric Nuclear Medicine, 148
Practical Competitive Binding Assay Methods, 148
Radiation Spectra of Radionuclides, 210
Radiopharmaceuticals, 50
Textbook of Nuclear Medicine Technology, 50
Brain
computerized axial tomography, impact on brain imaging, 180
imaging, collimator contamination artifact, 48
imaging, ^{99m}Tc-diphosphonate, 76
positron emission tomography, 97*
scan artifacts, 96*

Calcitonin
radioimmunoassay, book review, 209
Camera, scintillation
-computer interface, 205
parallel bar phantom, 143
performance, ^{201}Tl heart studies, 99*
tantalum tube collimator, 97*
whole-body tables, 97*
Carbon-11
positron emission tomography, 97*
Chromatography
pertechnetate in ^{99m}Tc-agents, 92*
^{99m}Tc-agents, 92*
^{99m}Tc-diphosphonate, -polyphosphate evaluation, 189
^{99m}Tc-HSA yield testing, 92*
thin layer, scintillation counting, 80
Chromium-51
-RBC, red cell volume, multiple sampling, 83
Cisternography
impact of computerized axial tomography, 180
Clinical evaluation
left ventricular function studies, 75 cases, 99*
liver flow studies, ^{99m}Tc-S colloid, 202 cases, 98*
Collimator
contamination artifact, 48
pinhole, lacrimal system imaging, $^{99m}TcO_4^-$, 74
tantalum, scintillation camera, 97*
Computer
myocardial/background ratios, ^{201}Tl, 99*
program, quality assurance, instruments, 97*
-scintillation camera interface, 205
Data processing, *see also, Computer*
radiochromatograms, 80
Digoxin
radioimmunoassay, crossreactivity, 201
Display
color renogram, 94*
Dose
calibrator, analysis, 193
calibrator, modification, 46
calibrator, QC procedures, 96*
meter, quality assurance, computer program, 97*
DTPA, *see Technetium-99m*

EDTA
^{68}Ga-, positron emission tomography, 97*
Education, *see also, Audiovisual review; Book review*
artifact identification manual, 31
program evaluation, nominal group process, 130
radiation safety, accident management, 95*
Energy
book review, *Radiation Spectra of Radionuclides,* 210
dose calibrator analysis, 193
range improvement, dose calibrator, 46
Eye
lacrimal system imaging, $^{99m}TcO_4^-$, pinhole collimator, 74

Fibrin
clotting mechanism, 93*
Film
Polaroid, artifacts, 183
Folate
serum, beta-lactoglobulin binding, 93*
serum, normal range, 93*

Gallbladder
imaging, ^{99m}Tc-HIDA, 99*
Gallium-67
-citrate, whole-body scanning, multi-detector scanner, 96*
dose calibrator assay, 46
Gallium-68
-EDTA, positron emission tomography, 97*
Gastrin
radioimmunoassay, 93*
Gastrointestinal tract
gastroesophageal reflux, ^{99m}Tc-S colloid imaging, 98*
^{99m}Tc abdominal imaging, 146
transmission imaging artifact, 207
Generator
^{99}Mo-^{99m}Tc, kinetics, 21
^{99}Mo-^{99m}Tc, radiation safety, 123

Health Physics, *see Radiation safety*
Heart
digoxin radioimmunoassay, 201
imaging, myocardial/background ratios, ^{201}Tl, 99*
left ventricular function, camera and probe positioning, 99*
positron emission tomography, in animals, 97*
^{201}Tl studies, instrumentation choice, 99*
Hippuran
^{131}I-, kidney function studies, 94*
Hormone
human growth, suppression and stimulation tests, 85
TSH, *see Thyroid stimulating hormone*

Indium-111
dose calibrator assay, 46
Infection
^{133}Xe ventilation system contamination, 95*
Injection
double barrel syringe, 42
Iodine-125
-albumin, pipetting system evaluation, 141
human growth hormone radioimmunoassay, 85
thyroxine, radioimmunoassay, 34
Iodine-131
handling solutions, 28
-hippuran, kidney function studies, 94*
thyroid therapy, cancer, 94*
thyroid therapy, radiation safety, 95*
thyroid uptake variation, effect of operator, 199

Kidney
function studies, ^{99m}Tc-DTPA, ^{131}I-hippuran, 94*
renogram, transplant, 94*
Kit
evaluation, radioimmunoassay, 136
T_3, comparison, 38

Licensing
examination board, 149
Liver
blood flow, routine studies, ^{99m}Tc-S colloid, 98*
imaging, metastases, 98*
imaging, transmission image for patient positioning, 98*
^{99m}Tc-pyrophosphate uptake, 89
Lung
aerosol nebulizer system, 94*, 126

Molybdenum-99
^{99m}Tc generator, 21, 123

Nebulizer
aerosol system, 94*, 126
Nitrogen-13
positron emission tomography, 97*

Parathormone
radioimmunoassay, book review, 209
Pediatrics
book review, *Pediatric Nuclear Medicine,* 148
^{99m}Tc abdominal imaging, 146
Phantom
parallel bar, scintillation camera, 143
Pituitary gland
human growth hormone suppression and stimulation tests, 85
Position
camera, probe, left ventricular function studies, 99*
patient, transmission image aid for liver studies, 98*
Potassium-43
instrumentation choice, 96*
nuclear parameters, 96*

Quality control
audiovisual review, *Cut the QUABS and Quality Assurance in Nuclear Medicine,* 149
control sera for radioimmunoassay, 87
dose calibrator, 96*, 193
instrument calibration, computer assisted, 97*
new radionuclides, 96*
parallel bar phantom, scintillation camera, 143
patient management, 97*
pipetting systems, 141
radiochromatograms, 80
radioimmunoassay kit evaluation, 136
radiopharmaceutical program, 92*
tantalum collimator, scintillation camera, 97*
^{99m}Tc agents, chromatographic testing, 89, 92*, 189
thyroid uptake variations, effect of operator, 199
whole-body table, 97*
^{133}Xe release from charcoal traps, 208
^{133}Xe ventilation system, microbe contamination, 95*

Radiation dose
book review, *NCRP Report Number 45: Natural Background Radiation in the United States,* 148
transmission image for liver studies, ^{99m}Tc, 98*
Radiation safety
accident management, 95*
handling radioiodinated solutions, 28
^{131}I thyroid therapy, 95*
^{99m}Tc generator systems, 123
Radioassay
folate, beta-lactoglobulin binding, 93*
folate, normal range, 93*
Radioimmunoassay
book review, *Practical Competitive Binding Assay Methods,* 148
control sera, 87
digoxin, crossreactivity, 201
gastrin, reliability parameters, 93*
human growth hormone suppression and stimulation tests, 85
kit evaluation, 136
normal ranges, 93*
parathormone and calcitonin, book review, 209
serum thyroxine, 34, 93*
Resolution
tantalum collimator, scintillation camera, 97*

Scanner
multi-detector for whole-body scanning, 96*
rectilinear, performance, ^{201}Tl heart studies, 99*
Sensitivity
dose calibrators, 193
Spleen
^{99m}Tc pyrophosphate uptake, 89

Technetium-99m
abdominal images, 146
-diphosphonate, Fe dextran injection site uptake, 133
-diphosphonate, -polyphosphate, chromatography, 189
-diphosphonate, sequential brain and bone imaging, 76
-DTPA, kidney function studies, 94*
generator kinetics, 21
generator systems, radiation safety, 123
-HIDA, gallbladder imaging, 99*
-HSA, preparation, 92*
-MAA, -DTPA, -diphosphonate, S colloid, radiochromatograms, 80
-MAA, -microspheres, fibrin clotting mechanism, 93*
-pertechnetate, brain image, collimator contamination artifact, 48
-pertechnetate, lacrimal system imaging, 74
-pyrophosphate, chromatography for yield testing, 92*
-pyrophosphate, liver spleen uptake, 89
-radiopharmaceuticals, pertechnetate contamination, 92*
-S colloid, gastroesophageal reflux, imaging, 98*
-S colloid, liver flow studies, 98*
Thallium-201
heart imaging, instrumentation choice, 99*
heart imaging, myocardial/background ratios, 99*
nuclear parameters, 99*
Thrombus
fibrin clotting mechanism, 93*
Thyroid
cancer, evaluation, 94*
^{131}I therapy, radiation safety, 95*
T_3 kits, comparison, 38

T_4 radioimmunoassay, 34
uptake, ^{131}I, effect of operator, 199
Thyroid stimulating hormone
radioimmunoassay, comparison, 87
serum, normal range, 93*
thyroid cancer evaluation, 94*
Thyroxine
competitive protein binding assay, 34
radioimmunoassay, 34
serum, normal range, 93*
thyroid cancer evaluation, 94*
Tomography
computerized axial, impact on brain imaging and cisternography, 180
positron emission, 97*
Training, *see Education*
Transmission
imaging artifact, lung-liver, 207
imaging, patient positioning, for liver imaging, 98*
Transplant, *see Kidney*
Tumor
metastatic, liver imaging, 98*
metastatic, sequential brain and bone imaging, ^{99m}Tc-diphosphonate, 76
thyroid cancer, evaluation, 94*
T_3
kits, comparison, 38
thyroid cancer evaluation, 94*
uptake, radioimmunoassay, normal ranges, 93*
T_4, *see Thyroxine*

Vitamin B_{12}
radioimmunoassay, normal range, 93*

Xenon-133
release from charcoal trap, 208
ventilation system, microbe contamination, 95*

Ytterbium-169
dose calibrator assay, 46